

# IEC 61850 and IEC 61400-25 Logical Node Classes

(This is an unofficial list compiled by Karlheinz Schwarz, SCC, [schwarz@scc-online.de](mailto:schwarz@scc-online.de))  
<http://blog.iec61850.com/>

2012-07-20

## Remarks:

| Part                | Source   | Comments   |
|---------------------|----------|--|
| IEC 61850-7-4 Ed2   | Standard |  |
| IEC 61850-7-410 Ed1 | Standard | Several LN classes have been moved to IEC 61850-7-4 Ed2  |
| IEC 61850-7-420 Ed1 | Standard | Several LN classes have been extended in IEC 61850-90-7  |
| IEC 61400-25-2 Ed1  | Standard |  |
| Other docs          |          | Several other documents contain object models ... and other documents are under preparation: 90-8, ... |

## Remark:

Ext1=few extensions, Ext2=several extensions, Ext3=many extensions, New=new  
In addition, many definitions have changed ... based on Tissues ...

| LN Group               | #  | Clause | Description                                | Name      | Part    | Remark |
|------------------------|----|--------|--|-----------|---------|--------|
| L<br>System LNs        | 1  | 5.3.2  | Physical device information                | LPHD      | 7-4 Ed2 | Ext1   |
|                        | 2  | 5.3.3  | Common Logical Node                        | Common LN | 7-4 Ed2 | Ext3   |
|                        | 3  | 5.3.4  | Logical node zero                          | LLNO      | 7-4 Ed2 | Ext1   |
|                        | 4  | 5.3.5  | Physical Communication channel Supervision | LCCH      | 7-4 Ed2 | New    |
|                        | 5  | 5.3.6  | GOOSE subscription                         | LGOS      | 7-4 Ed2 | New    |
|                        | 6  | 5.3.7  | Sampled value subscription                 | LSVS      | 7-4 Ed2 | New    |
|                        | 7  | 5.3.8  | Time management                            | LTIM      | 7-4 Ed2 | New    |
|                        | 8  | 5.3.9  | Time master supervision                    | LTMS      | 7-4 Ed2 | New    |
|                        | 9  | 5.3.10 | Service tracking                           | LTRK      | 7-4 Ed2 | New    |
| A<br>Automatic Control | 10 | 5.4.2  | Neutral current regulator                  | ANCR      | 7-4 Ed2 | Ext3   |
|                        | 11 | 5.4.3  | Reactive power control                     | ARCO      | 7-4 Ed2 | Ext1   |
|                        | 12 | 5.4.4  | Resistor control                           | ARIS      | 7-4 Ed2 | New    |
|                        | 13 | 5.4.5  | Automatic tap changer controller           | ATCC      | 7-4 Ed2 | Ext1   |
|                        | 14 | 5.4.6  | Voltage control                            | AVCO      | 7-4 Ed2 | Ext1   |
| C<br>Control           | 15 | 5.5.2  | Alarm handling                             | CALH      | 7-4 Ed2 | Ext1   |
|                        | 16 | 5.5.3  | Cooling group control                      | CCGR      | 7-4 Ed2 | Ext1   |
|                        | 17 | 5.5.4  | Interlocking                               | CILO      | 7-4 Ed2 |        |
|                        | 18 | 5.5.5  | Point-on-wave switching                    | CPOW      | 7-4 Ed2 | Ext2   |
|                        | 19 | 5.5.6  | Switch controller                          | CSWI      | 7-4 Ed2 | Ext1   |
|                        | 20 | 5.5.7  | Synchronizer controller                    | CSYN      | 7-4 Ed2 | New    |

# IEC 61850 and IEC 61400-25 Logical Node Classes

| LN Group                            | #  | Clause | Description   | Name | Part      | Remark |
|-------------------------------------|----|--------|---|------|-----------|--------|
| D<br>Decentralized Energy Resources | 21 | 5.2.2  | DER plant corporate characteristics at the ECP        | DCRP | 7-420 Ed2 |        |
|                                     | 22 | 5.2.3  | Operational characteristics at ECP                    | DOPR | 7-420 Ed2 |        |
|                                     | 23 | 5.2.4  | DER operational authority at the ECP                  | DOPA | 7-420 Ed2 |        |
|                                     | 24 | 5.2.5  | Operating mode at ECP                                 | DOPM | 7-420 Ed2 |        |
|                                     | 25 | 5.2.6  | Status information at the ECP                         | DPST | 7-420 Ed2 |        |
|                                     | 26 | 5.2.7  | DER economic dispatch parameters                      | DCCT | 7-420 Ed2 |        |
|                                     | 27 | 5.2.8  | DER energy and/or ancillary services schedule control | DSCC | 7-420 Ed2 |        |
|                                     | 28 | 5.2.9  | DER energy and/or ancillary services schedule         | DSCH | 7-420 Ed2 |        |
|                                     | 29 | 5.3.2  | DER controller characteristics                        | DRCT | 7-420 Ed2 |        |
|                                     | 30 | 5.3.3  | DER controller status                                 | DRCS | 7-420 Ed2 |        |
|                                     | 31 | 5.3.4  | DER supervisory control                               | DRCC | 7-420 Ed2 |        |
|                                     | 32 | 6.1.2  | DER unit generator                                    | DGEN | 7-420 Ed2 |        |
|                                     | 33 | 6.1.3  | DER generator ratings                                 | DRAT | 7-420 Ed2 |        |
|                                     | 34 | 6.1.4  | DER advanced generator ratings                        | DRAZ | 7-420 Ed2 |        |
|                                     | 35 | 6.1.5  | Generator cost  | DCST | 7-420 Ed2 |        |
|                                     | 36 | 6.2.2  | Excitation ratings                                    | DREX | 7-420 Ed2 |        |
|                                     | 37 | 6.2.3  | Excitation  | DEXC | 7-420 Ed2 |        |
|                                     | 38 | 6.3.2  | Speed/Frequency Controller                            | DSFC | 7-420 Ed2 |        |
|                                     | 39 | 7.1.3  | Reciprocating Engine                                  | DCIP | 7-420 Ed2 |        |
|                                     | 40 | 7.2.3  | Fuel cell controller                                  | DFCL | 7-420 Ed2 |        |
|                                     | 41 | 7.2.4  | Fuel cell stack                                       | DSTK | 7-420 Ed2 |        |
|                                     | 42 | 7.2.5  | Fuel processing module                                | DFPM | 7-420 Ed2 |        |
|                                     | 43 | 7.3.3  | Photovoltaics module ratings                          | DPVM | 7-420 Ed2 |        |
|                                     | 44 | 7.3.4  | Photovoltaics array characteristics                   | DPVA | 7-420 Ed2 |        |
|                                     | 45 | 7.3.5  | Photovoltaics array controller                        | DPVC | 7-420 Ed2 |        |
|                                     | 46 | 7.3.6  | Tracking controller                                   | DTRC | 7-420 Ed2 |        |
|                                     | 47 | 7.4.3  | CHP system controller                                 | DCHC | 7-420 Ed2 |        |
|                                     | 48 | 7.4.4  | Thermal storage                                       | DCTS | 7-420 Ed2 |        |
|                                     | 49 | 7.4.5  | Boiler  | DCHB | 7-420 Ed2 |        |
|                                     | 50 | 7.1.3  | Reciprocating Engine                                  | DCIP | 7-420 Ed2 |        |
|                                     | 51 | 7.2.3  | Fuel cell controller                                  | DFCL | 7-420 Ed2 |        |
|                                     | 52 | 8.1.3  | Fuel delivery system                                  | DFLV | 7-420 Ed2 |        |
| F<br>Functional Blocks              | 53 | 5.6.2  | Counter   | FCNT | 7-4 Ed2   | New    |
|                                     | 54 | 5.6.3  | Curve shape description                               | FCSD | 7-4 Ed2   | New    |
|                                     | 55 | 5.6.4  | Generic Filter  | FFIL | 7-4 Ed2   | New    |
|                                     | 56 | 5.6.5  | Control function output limitation                    | FLIM | 7-4 Ed2   | New    |
|                                     | 57 | 5.6.6  | PID regulator   | FPID | 7-4 Ed2   | New    |
|                                     | 58 | 5.6.7  | Ramp function   | FRMP | 7-4 Ed2   | New    |
|                                     | 59 | 5.6.8  | Set-point control function                            | FSPT | 7-4 Ed2   | New    |
|                                     | 60 | 5.6.9  | Action at over threshold                              | FXOT | 7-4 Ed2   | New    |
|                                     | 61 | 5.6.10 | Action at under threshold                             | FXUT | 7-4 Ed2   | New    |
|                                     | 62 | 7.2.2  | Counter   | FCNT | 7-410 Ed1 |        |
|                                     | 63 | 7.2.3  | Curve shape description                               | FCSD | 7-410 Ed1 |        |
|                                     | 64 | 7.2.4  | Generic Filter  | FFIL | 7-410 Ed1 |        |
|                                     | 65 | 7.2.5  | Control function output limitation                    | FLIM | 7-410 Ed1 |        |
|                                     | 66 | 7.2.6  | PID regulator   | FPID | 7-410 Ed1 |        |
|                                     | 67 | 7.2.7  | Ramp function   | FRMP | 7-410 Ed1 |        |
|                                     | 68 | 7.2.8  | Set-point control function                            | FSPT | 7-410 Ed1 |        |
|                                     | 69 | 7.2.9  | Action at over threshold                              | FXOT | 7-410 Ed1 |        |
|                                     | 70 | 7.2.10 | Action at under threshold                             | FXUT | 7-410 Ed1 |        |
|                                     | 71 | 8.4.2  | Sequencer   | FSEQ | 7-420 Ed2 |        |

# IEC 61850 and IEC 61400-25 Logical Node Classes

| LN Group   | #   | Clause | Description                             | Name | Part      | Remark |
|--|-----|--------|---|------|-----------|--------|
| G<br>Generic                                       | 72  | 5.7.2  | Generic automatic process control       | GAPC | 7-4 Ed2   | Ext1   |
|  | 73  | 5.7.3  | Generic process I/O                     | GGIO | 7-4 Ed2   | Ext2   |
|  | 74  | 5.7.4  | Generic log                             | GLOG | 7-4 Ed2   | New    |
|  | 75  | 5.7.5  | Generic security application            | GSAL | 7-4 Ed2   | New    |
| H<br>Hydro Power                                   | 76  | 7.3.2  | Turbine - generator shaft bearing       | HBRG | 7-410 Ed1 |        |
|  | 77  | 7.3.3. | Combinator                              | HCOM | 7-410 Ed1 |        |
|  | 78  | 7.3.4  | Hydropower dam                          | HDAM | 7-410 Ed1 |        |
|  | 79  | 7.3.5  | Dam leakage supervision                 | HDLS | 7-410 Ed1 |        |
|  | 80  | 7.3.6  | Gate position indicator                 | HGPI | 7-410 Ed1 |        |
|  | 81  | 7.3.7  | Dam gate                                | HGTE | 7-410 Ed1 |        |
|  | 82  | 7.3.8  | Intake gate                             | HITG | 7-410 Ed1 |        |
|  | 83  | 7.3.9  | Joint control                           | HJCL | 7-410 Ed1 |        |
|  | 84  | 7.3.10 | Leakage supervision                     | HLKG | 7-410 Ed1 |        |
|  | 85  | 7.3.11 | Water level indicator                   | HLVL | 7-410 Ed1 |        |
|  | 86  | 7.3.12 | Mechanical brake                        | HMBR | 7-410 Ed1 |        |
|  | 87  | 7.3.13 | Needle control                          | HNDL | 7-410 Ed1 |        |
|  | 88  | 7.3.14 | Water net head data                     | HNHD | 7-410 Ed1 |        |
|  | 89  | 7.3.15 | Dam over-topping protection             | HOTP | 7-410 Ed1 |        |
|  | 90  | 7.3.16 | Hydropower / water reservoir            | HRES | 7-410 Ed1 |        |
|  | 91  | 7.3.17 | Hydropower unit sequencer               | HSEQ | 7-410 Ed1 |        |
|  | 92  | 7.3.18 | Speed monitoring                        | HSPD | 7-410 Ed1 |        |
|  | 93  | 7.3.19 | Hydropower unit                         | HUNT | 7-410 Ed1 |        |
|  | 94  | 7.3.20 | Water control                           | HWCL | 7-410 Ed1 |        |
| I<br>Interfacing and Archiving                     | 95  | 5.8.2  | Archiving                               | IARC | 7-4 Ed2   | Ext1   |
|  | 96  | 5.8.3  | Human machine interface                 | IHMI | 7-4 Ed2   | Ext2   |
|  | 97  | 5.8.4  | Safety alarm function                   | ISAF | 7-4 Ed2   | New    |
|  | 98  | 5.8.5  | Telecontrol interface                   | ITCI | 7-4 Ed2   | Ext3   |
|  | 99  | 5.8.6  | Telemonitoring interface                | ITMI | 7-4 Ed2   | Ext2   |
|  | 100 | 5.8.7  | Teleprotection communication interfaces | ITPC | 7-4 Ed2   | New    |
|  | 101 | 7.4.2  | Safety alarm function                   | ISAF | 7-410 Ed1 |        |
| K<br>Mechanical and non-electric primary equipment | 102 | 5.9.2  | Fan                                     | KFAN | 7-4 Ed2   | New    |
|  | 103 | 5.9.3  | Filter                                  | KFIL | 7-4 Ed2   | New    |
|  | 104 | 5.9.4  | Pump                                    | KPMP | 7-4 Ed2   | New    |
|  | 105 | 5.9.5  | Tank                                    | KTNK | 7-4 Ed2   | New    |
|  | 106 | 5.9.6  | Valve control                           | KVLV | 7-4 Ed2   | New    |
|  | 107 | 7.5.2  | Fan                                     | KFAN | 7-410 Ed1 |        |
|  | 108 | 7.5.3  | Filter                                  | KFIL | 7-410 Ed1 |        |
|  | 109 | 7.5.4  | Pump                                    | KPMP | 7-410 Ed1 |        |
|  | 110 | 7.5.5  | Tank                                    | KTNK | 7-410 Ed1 |        |
|  | 111 | 7.5.6  | Valve control                           | KVLV | 7-410 Ed1 |        |

# IEC 61850 and IEC 61400-25 Logical Node Classes

| LN Group                      | #   | Clause  | Description                                   | Name | Part      | Remark  |
|-------------------------------|-----|---------|---|------|-----------|---------|
| M<br>Metering and measurement | 112 | 5.10.2  | Environmental information                     | MENV | 7-4 Ed2   | New     |
|                               | 113 | 5.10.3  | Flicker Measurement Name                      | MFLK | 7-4 Ed2   | New     |
|                               | 114 | 5.10.4  | Harmonics or interharmonics                   | MHAI | 7-4 Ed2   | Ext1    |
|                               | 115 | 5.10.5  | Non phase related harmonics or interharmonics | MHAN | 7-4 Ed2   | Ext1    |
|                               | 116 | 5.10.6  | Hydrological information                      | MHYD | 7-4 Ed2   | New     |
|                               | 117 | 5.10.7  | DC measurement                                | MMDC | 7-4 Ed2   | New     |
|                               | 118 | 5.10.8  | Meteorological information                    | MMET | 7-4 Ed2   | New     |
|                               | 119 | 5.10.9  | Metering                                      | MMTN | 7-4 Ed2   | New     |
|                               | 120 | 5.10.10 | Metering                                      | MMTR | 7-4 Ed2   |         |
|                               | 121 | 5.10.11 | Non phase related Measurement                 | MMXN | 7-4 Ed2   |         |
|                               | 122 | 5.10.12 | Measurement                                   | MMXU | 7-4 Ed2   | Ext3    |
|                               | 123 | 5.10.13 | Sequence and imbalance                        | MSQI | 7-4 Ed2   |         |
|                               | 124 | 5.10.14 | Metering Statistics                           | MSTA | 7-4 Ed2   | removed |
|                               | 125 | 7.6.2   | Environmental information                     | MENV | 7-410 Ed1 |         |
|                               | 126 | 7.6.3   | Hydrological information                      | MHYD | 7-410 Ed1 |         |
|                               | 127 | 7.6.4   | DC measurement                                | MMDC | 7-410 Ed1 |         |
|                               | 128 | 7.6.5   | Meteorological information                    | MMET | 7-410 Ed1 |         |
|                               | 129 | 8.1.2   | Fuel characteristics                          | MFUL | 7-420 Ed2 |         |
|                               | 130 | 8.5.3   | Pressure measurements                         | MPRS | 7-420 Ed2 |         |
|                               | 131 | 8.5.4   | Heat measured values                          | MHET | 7-420 Ed2 |         |
|                               | 132 | 8.5.5   | Flow measurements                             | MFLW | 7-420 Ed2 |         |
|                               | 133 | 8.5.7   | Emissions measurements                        | MENV | 7-420 Ed2 |         |
| P<br>Protection functions     | 134 | 5.11.2  | Differential                                  | PDIF | 7-4 Ed2   | Ext1    |
|                               | 135 | 5.11.3  | Direction comparison                          | PDIR | 7-4 Ed2   |         |
|                               | 136 | 5.11.4  | Distance                                      | PDIS | 7-4 Ed2   | Ext1    |
|                               | 137 | 5.11.5  | Directional overpower                         | PDOP | 7-4 Ed2   |         |
|                               | 138 | 5.11.6  | Directional underpower                        | PDUP | 7-4 Ed2   |         |
|                               | 139 | 5.11.7  | Rate of change of frequency                   | PFRC | 7-4 Ed2   |         |
|                               | 140 | 5.11.8  | Harmonic restraint                            | PHAR | 7-4 Ed2   |         |
|                               | 141 | 5.11.9  | Ground detector                               | PHIZ | 7-4 Ed2   |         |
|                               | 142 | 5.11.10 | Instantaneous overcurrent                     | PIOC | 7-4 Ed2   |         |
|                               | 143 | 5.11.11 | Motor restart inhibition                      | PMRI | 7-4 Ed2   |         |
|                               | 144 | 5.11.12 | Motor starting time supervision               | PMSS | 7-4 Ed2   |         |
|                               | 145 | 5.11.13 | Over power factor                             | POPF | 7-4 Ed2   |         |
|                               | 146 | 5.11.14 | Phase angle measuring                         | PPAM | 7-4 Ed2   |         |
|                               | 147 | 5.11.15 | Rotor protection                              | PRTR | 7-4 Ed2   | New     |
|                               | 148 | 5.11.16 | Protection scheme                             | PSCH | 7-4 Ed2   |         |
|                               | 149 | 5.11.17 | Sensitive directional earthfault              | PSDE | 7-4 Ed2   |         |
|                               | 150 | 5.11.18 | Transient earth fault                         | PTEF | 7-4 Ed2   | Ext1    |
|                               | 151 | 5.11.19 | Tyristor protection                           | PTHF | 7-4 Ed2   | New     |
|                               | 152 | 5.11.20 | Time overcurrent                              | PTOC | 7-4 Ed2   |         |
|                               | 153 | 5.11.21 | Overfrequency                                 | PTOF | 7-4 Ed2   |         |
|                               | 154 | 5.11.22 | Ovvoltage                                     | PTOV | 7-4 Ed2   |         |
|                               | 155 | 5.11.23 | Protection trip conditioning                  | PTRC | 7-4 Ed2   |         |
|                               | 156 | 5.11.24 | Thermal overload                              | PTTR | 7-4 Ed2   | Ext2    |
|                               | 157 | 5.11.25 | Undercurrent                                  | PTUC | 7-4 Ed2   | Ext1    |
|                               | 158 | 5.11.26 | Underfrequency                                | PTUF | 7-4 Ed2   |         |
|                               | 159 | 5.11.27 | Undervoltage                                  | PTUV | 7-4 Ed2   |         |
|                               | 160 | 5.11.28 | Underpower factor                             | PUPF | 7-4 Ed2   |         |
|                               | 161 | 5.11.29 | Voltage controlled time overcurrent           | PVOC | 7-4 Ed2   |         |
|                               | 162 | 5.11.30 | Volts per Hz                                  | PVPH | 7-4 Ed2   |         |
|                               | 163 | 5.11.31 | Zero speed or underspeed                      | PZSU | 7-4 Ed2   |         |
|                               | 164 | 7.7.2   | Rotor protection                              | PRTR | 7-410 Ed1 |         |
|                               | 165 | 7.7.3   | Thyristor protection                          | PTHF | 7-410 Ed1 |         |

# IEC 61850 and IEC 61400-25 Logical Node Classes

| LN Group                                    | #   | Clause  | Description                                       | Name | Part      | Remark   |
|---|-----|---------|---|------|-----------|----------|
| Q<br>Power quality events                   | 166 | 5.12.2  | Frequency Variation                               | QFVR | 7-4 Ed2   | New      |
|   | 167 | 5.12.3  | Current Transient                                 | QITR | 7-4 Ed2   | New      |
|   | 168 | 5.12.4  | Current Unbalance Variation                       | QIUB | 7-4 Ed2   | New      |
|   | 169 | 5.12.5  | Voltage Transient                                 | QVTR | 7-4 Ed2   | New      |
|   | 170 | 5.12.6  | Voltage Unbalance Variation                       | QVUB | 7-4 Ed2   | New      |
|   | 171 | 5.12.7  | Voltage Variation                                 | QVVR | 7-4 Ed2   | New      |
|   | 172 | 5.13.2  | Disturbance recorder channel analogue             | RADR | 7-4 Ed2   | Ext1     |
| R<br>Protection related functions           | 173 | 5.13.3  | Disturbance recorder channel binary               | RBDR | 7-4 Ed2   | Ext1     |
|   | 174 | 5.13.4  | Breaker failure                                   | RBRF | 7-4 Ed2   | Ext1     |
|   | 175 | 5.13.5  | Directional element                               | RDIR | 7-4 Ed2   |          |
|   | 176 | 5.13.6  | Disturbance recorder function                     | RDRE | 7-4 Ed2   |          |
|   | 177 | 5.13.7  | Disturbance record handling                       | RDRS | 7-4 Ed2   |          |
|   | 178 | 5.13.8  | Fault locator                                     | RFLO | 7-4 Ed2   | Ext3/min |
|   | 179 | 5.13.9  | Differential measurements                         | RMXU | 7-4 Ed2   | New      |
|   | 180 | 5.13.10 | Power swing detection/blocking                    | RPSB | 7-4 Ed2   | New      |
|   | 181 | 5.13.11 | Autoreclosing                                     | RREC | 7-4 Ed2   | Ext1     |
|   | 182 | 5.13.12 | Synchronism-check                                 | RSYN | 7-4 Ed2   |          |
|   | 183 | 7.8.2   | synchronising or synchro-check device             | RSYN | 7-410 Ed1 |          |
|   | 184 | 5.14.2  | Monitoring and diagnostics for arcs               | SARC | 7-4 Ed2   |          |
| S<br>Supervision and monitoring             | 185 | 5.14.3  | Circuit breaker supervision                       | SCBR | 7-4 Ed2   | New      |
|   | 186 | 5.14.4  | Insulation medium supervision (gas)               | SIMG | 7-4 Ed2   | Ext1     |
|   | 187 | 5.14.5  | Insulation medium supervision (liquid)            | SIML | 7-4 Ed2   | Ext3     |
|   | 188 | 5.14.6  | Tap changer Supervision                           | SLTC | 7-4 Ed2   | New      |
|   | 189 | 5.14.7  | Supervision of Operating Mechanism                | SOPM | 7-4 Ed2   | New      |
|   | 190 | 5.14.8  | Monitoring and diagnostics for partial discharges | SPDC | 7-4 Ed2   | New      |
|   | 191 | 5.14.9  | Power Transformer Supervision                     | SPTR | 7-4 Ed2   | New      |
|   | 192 | 5.14.10 | Circuit Switch Supervision                        | SSWI | 7-4 Ed2   | New      |
|   | 193 | 5.14.11 | Temperature supervision                           | STMP | 7-4 Ed2   | New      |
|   | 194 | 5.14.12 | Vibration supervision                             | SVBR | 7-4 Ed2   | New      |
|   | 195 | 7.9.2   | temperature supervision                           | STMP | 7-410 Ed1 |          |
|   | 196 | 7.9.3   | vibration supervision                             | SVBR | 7-410 Ed1 |          |
|   | 197 | 8.5.6   | Vibration conditions                              | SVBR | 7-420 Ed2 |          |
|   | 198 | 8.5.2   | Temperature measurements                          | STMP | 7-420 Ed2 |          |
| T<br>Instrument<br>Transformers and sensors | 199 | 5.15.2  | Angle   | TANG | 7-4 Ed2   | New      |
|   | 200 | 5.15.3  | Axial displacement                                | TAXD | 7-4 Ed2   | New      |
|   | 201 | 5.15.4  | Current transformer                               | TCTR | 7-4 Ed2   | Ext1     |
|   | 202 | 5.15.5  | Distance  | TDST | 7-4 Ed2   | New      |
|   | 203 | 5.15.6  | Liquid flow                                       | TFLW | 7-4 Ed2   | New      |
|   | 204 | 5.15.7  | Frequency   | TFRQ | 7-4 Ed2   | New      |
|   | 205 | 5.15.8  | Generic sensor                                    | TGSN | 7-4 Ed2   | New      |
|   | 206 | 5.15.9  | Humidity  | THUM | 7-4 Ed2   | New      |
|   | 207 | 5.15.10 | LMedia level                                      | TLVL | 7-4 Ed2   | New      |
|   | 208 | 5.15.11 | Magnetic field                                    | TMGF | 7-4 Ed2   | New      |
|   | 209 | 5.15.12 | Movement senso                                    | TMVM | 7-4 Ed2   | New      |
|   | 210 | 5.15.13 | Position indicator                                | TPOS | 7-4 Ed2   | New      |
|   | 211 | 5.15.14 | Pressure sensor                                   | TPRS | 7-4 Ed2   | New      |
|   | 212 | 5.15.15 | Rotation transmitter                              | TRTN | 7-4 Ed2   | New      |
|   | 213 | 5.15.16 | Sound pressure sensor                             | TSND | 7-4 Ed2   | New      |
|   | 214 | 5.15.17 | Temperature sensor                                | TTMP | 7-4 Ed2   | New      |
|   | 215 | 5.15.18 | Mechanical tension / stress                       | TTNS | 7-4 Ed2   | New      |
|   | 216 | 5.15.19 | Vibration sensor                                  | TVBR | 7-4 Ed2   | New      |
|   | 217 | 5.15.20 | Voltage transformer                               | TVTR | 7-4 Ed2   | Ext      |
|   | 218 | 5.15.21 | Water acidity                                     | TWPH | 7-4 Ed2   | New      |
|   | 219 | 7.10.2  | Angle sensor                                      | TANG | 7-410 Ed1 |          |

## IEC 61850 and IEC 61400-25 Logical Node Classes

| LN Group                | #   | Clause   | Description   | Name | Part           | Remark |
|-------------------------|-----|----------|---|------|----------------|--------|
| W<br>Wind Turbines      | 220 | 7.10.3   | Axial displacement sensor                           | TAXD | 7-410 Ed1      |        |
|                         | 221 | 7.10.4   | Distance sensor                                     | TDST | 7-410 Ed1      |        |
|                         | 222 | 7.10.5   | Flow sensor   | TFLW | 7-410 Ed1      |        |
|                         | 223 | 7.10.6   | Frequency sensor                                    | TFRQ | 7-410 Ed1      |        |
|                         | 224 | 7.10.7   | Humidity sensor                                     | THUM | 7-410 Ed1      |        |
|                         | 225 | 7.10.8   | Level sensor  | TLEV | 7-410 Ed1      |        |
|                         | 226 | 7.10.9   | Magnetic field sensor                               | TMGF | 7-410 Ed1      |        |
|                         | 227 | 7.10.10  | Movement sensor                                     | TMVM | 7-410 Ed1      |        |
|                         | 228 | 7.10.11  | Position indicator                                  | TPOS | 7-410 Ed1      |        |
|                         | 229 | 7.10.12  | Pressure sensor                                     | TPRS | 7-410 Ed1      |        |
|                         | 230 | 7.10.13  | Rotation transmitter                                | TRTN | 7-410 Ed1      |        |
|                         | 231 | 7.10.14  | Sound pressure sensor                               | TSND | 7-410 Ed1      |        |
|                         | 232 | 7.10.15  | Temperature sensor                                  | TTMP | 7-410 Ed1      |        |
|                         | 233 | 7.10.16  | Mechanical tension /stress sensor                   | TTNS | 7-410 Ed1      |        |
|                         | 234 | 7.10.17  | Vibration sensor                                    | TVBR | 7-410 Ed1      |        |
|                         | 235 | 7.10.18  | Water pH sensor                                     | TWPH | 7-410 Ed1      |        |
|                         | 236 | Table 7  | Wind turbine general information                    | WTUR | 61400-25-2 Ed1 |        |
| X<br>Switchgear         | 237 | Table 8  | Wind turbine rotor information                      | WROT | 61400-25-2 Ed1 |        |
|                         | 238 | Table 9  | Wind turbine transmission information               | WTRM | 61400-25-2 Ed1 |        |
|                         | 239 | Table 10 | Wind turbine generator information                  | WGEN | 61400-25-2 Ed1 |        |
|                         | 240 | Table 11 | Wind turbine converter information                  | WCNV | 61400-25-2 Ed1 |        |
|                         | 241 | Table 12 | Wind turbine transformer information                | WTRF | 61400-25-2 Ed1 |        |
|                         | 242 | Table 13 | Wind turbine nacelle information                    | WNAC | 61400-25-2 Ed1 |        |
|                         | 243 | Table 14 | Wind turbine yawing information                     | WYAW | 61400-25-2 Ed1 |        |
|                         | 244 | Table 15 | Wind turbine tower information                      | WTOW | 61400-25-2 Ed1 |        |
|                         | 245 | Table 16 | Wind power plant meteorological information         | WMET | 61400-25-2 Ed1 |        |
|                         | 246 | Table 17 | Wind power plant alarm information                  | WALM | 61400-25-2 Ed1 |        |
|                         | 247 | Table 18 | Wind turbine state log information                  | WSLG | 61400-25-2 Ed1 |        |
|                         | 248 | Table 19 | Wind turbine analogue log information               | WALG | 61400-25-2 Ed1 |        |
|                         | 249 | Table 20 | Wind turbine report information                     | WREP | 61400-25-2 Ed1 |        |
|                         | 250 | Table 21 | Wind power plant active power control information   | WAPC | 61400-25-2 Ed1 |        |
|                         | 251 | Table 22 | Wind power plant reactive power control information | WRPC | 61400-25-2 Ed1 |        |
| Y<br>Power transformers | 252 | 5.16.2   | Circuit breaker                                     | XCBR | 7-4 Ed2        |        |
|                         | 253 | 5.16.3   | Circuit switch                                      | XSWI | 7-4 Ed2        |        |
|                         | 254 | 8.3.2    | Fuse  | XFUS | 7-420 Ed2      |        |
|                         | 255 | 5.17.2   | Earth fault neutralizer (Petersen coil)             | YEFN | 7-4 Ed2        | Ext2   |
|                         | 256 | 5.17.3   | Tap changer   | YLTC | 7-4 Ed2        | Ext1   |
|                         | 257 | 5.17.4   | Power shunt   | YPSH | 7-4 Ed2        |        |
|                         | 258 | 5.17.5   | Power transformer                                   | YPTR | 7-4 Ed2        | Ext2   |

## IEC 61850 and IEC 61400-25 Logical Node Classes

| LN Group                            | #   | Clause  | Description                              | Name | Part      | Remark |
|-------------------------------------|-----|---------|--|------|-----------|--------|
| Z<br>further power system equipment | 259 | 5.18.2  | Auxiliary network                        | ZAXN | 7-4 Ed2   | Ext1   |
|                                     | 260 | 5.18.3  | Battery                                  | ZBAT | 7-4 Ed2   | Ext1   |
|                                     | 261 | 5.18.4  | Bushing                                  | ZBSH | 7-4 Ed2   | Ext1   |
|                                     | 262 | 5.18.5  | Power cable                              | ZCAB | 7-4 Ed2   |        |
|                                     | 263 | 5.18.6  | Capacitor bank                           | ZCAP | 7-4 Ed2   |        |
|                                     | 264 | 5.18.7  | Converter                                | ZCON | 7-4 Ed2   | Ext1   |
|                                     | 265 | 5.18.8  | Generator                                | ZGEN | 7-4 Ed2   |        |
|                                     | 266 | 5.18.9  | Gas insulated line                       | ZGIL | 7-4 Ed2   |        |
|                                     | 267 | 5.18.10 | Power overhead line                      | ZLIN | 7-4 Ed2   | Ext3   |
|                                     | 268 | 5.18.11 | Motor                                    | ZMOT | 7-4 Ed2   |        |
|                                     | 269 | 5.18.12 | Reactor                                  | ZREA | 7-4 Ed2   | Ext3   |
|                                     | 270 | 5.18.13 | Resistor                                 | ZRES | 7-4 Ed2   | New    |
|                                     | 271 | 5.18.14 | Rotating reactive component              | ZRRC | 7-4 Ed2   | Ext3   |
|                                     | 272 | 5.18.15 | Surge arrestor                           | ZSAR | 7-4 Ed2   |        |
|                                     | 273 | 5.18.16 | Semi-conductor controlled rectifier      | ZSCR | 7-4 Ed2   | New    |
|                                     | 274 | 5.18.17 | Synchronous machine                      | ZSMC | 7-4 Ed2   | New    |
|                                     | 275 | 5.18.18 | Thyristor controlled frequency converter | ZTCF | 7-4 Ed2   |        |
|                                     | 276 | 5.18.19 | Thyristor controlled reactive component  | ZTCR | 7-4 Ed2   |        |
|                                     | 277 | 7.11.2  | Neutral resistor                         | ZRES | 7-410 Ed1 |        |
|                                     | 278 | 7.11.3  | Semiconductor rectifier controller       | ZSCR | 7-410 Ed1 |        |
|                                     | 279 | 7.11.4  | Synchronous machine                      | ZSMC | 7-410 Ed1 |        |
|                                     | 280 | 6.4.2   | Rectifier                                | ZRCT | 7-420 Ed2 |        |
|                                     | 281 | 6.4.3   | Inverter                                 | ZINV | 7-420 Ed2 |        |
|                                     | 282 | 8.2.2   | Battery systems                          | ZBAT | 7-420 Ed2 |        |
|                                     | 283 | 8.2.3   | Battery charger                          | ZBTC | 7-420 Ed2 |        |